


*Your proven answer  
to soundproof ventilation  
in noise affected buildings.*



## 100 Diameter Weather louvre

Product Code: 23-01-03



**Best new product**  
DesignBuild Australasia



**Top 10 Eco Product in the USA**  
Sustainable Building Magazines



**Silver Medal**  
International Salon des Inventions.  
Geneve, Switzerland

## Information

The Silenceair 100 diameter weather louvre with paintable cover is designed to be installed in external wall systems where a 100mm diameter penetration is preferred.

This weather louvre offers a complete weather seal between the Silenceair acoustic unit and the weather louvre. The joints can be sealed with standard plumbers adhesive. The system is suitable for exposed positions. Any wind driven rain that may enter the system will simply drain out through the louvre.

The weather louvre comprises an exterior louvre cover, an integral insect screen, an extension tube, and an internal louvre spray guard. The exterior cover can be painted to match the building colour scheme.


The length of the extension tube can be cut to suit the thickness of the wall.

Note. When ordering this weather louvre, ensure you order the Silenceair 140mm acoustic ventilator with round adaptor (Code 10-06-01).

## Product Code


23-01-01: Natural Black  
23-01-03: White  
23-01-05CC: Custom Colour

Open Vent Area 5,200mm<sup>2</sup>  
Weight 0.189 kg  
Material Recyclable ABS




100mm


TOP VIEW




FRONT VIEW



SIDE VIEW





Fit the Silenceair unit into place and mark the location of the exterior penetration on the wall.



Drill out the hole and insert the assembled weather louvre unit. Ensure extension tube has been cut to the correct length to allow a tight fit.

## Section View



Fix into place.

For more information please contact

[www.silenceair.com](http://www.silenceair.com) [enquiries@silenceair.com](mailto:enquiries@silenceair.com) +61 2 9555 7215

Patents and Patents Pending Silenceair is a registered trademark of Silenceair International Pty Limited

## Information


The Silenceair 100 diameter weather louvre with paintable cover is designed to be installed in external wall systems where a 100mm diameter penetration is preferred.

This weather louvre offers a complete weather seal between the Silenceair acoustic unit and the weather louvre. The joints can be sealed with standard plumbers adhesive. The system is suitable for exposed positions. Any wind driven rain that may enter the system will simply drain out through the louvre.

The weather louvre comprises an exterior louvre cover, an integral insect screen, an extension tube, and an internal louvre spray guard. The exterior cover can be painted to match the building colour scheme.

The length of the extension tube can be cut to suit the thickness of the wall.


Note. When ordering this weather louvre, ensure you order the Silenceair 140mm acoustic ventilator with round adaptor (Code 10-06-01).



100mm


TOP VIEW

125mm



FRONT VIEW

256mm



SIDE VIEW

Open Vent Area


5,200mm<sup>2</sup>

Weight


0.343 kg

Material

Recyclable ABS



Fit the Silenceair unit into place and mark the location of the exterior penetration on the wall.



Drill out the hole and insert the assembled weather louvre unit. Ensure extension tube has been cut to the correct length to allow a tight fit.



## Product Code

23-02-01: Natural Black

23-02-03: White

23-02-05CC: Custom Colour

## Section View



Fix into place.

For more information please contact

[www.silenceair.com](http://www.silenceair.com) [enquiries@silenceair.com](mailto:enquiries@silenceair.com) +61 2 9555 7215

Patents and Patents Pending Silenceair is a registered trademark of Silenceair International Pty Limited